

Rayas Max Strip Light



Features

- 99.99% purity golden (1.0um or above)
- 100% purity copper LED lead frame
- Big size chip with high output lumen
- Light decay: 2% @ 6000Hours
- Suitable for illuminating borders, edges, cabinets, bars and areas with limited space for installation



5M Roll

Colour Rendering Index
≥80



IP Rating
IP67

5
years
warranty


Standard Warranty

TECHNICAL DATA SHEET - RAYAS MAX - 19826 - STRIP LIGHT



TECHNICAL DATA

Product Data	Strip Light
Lamp Type	EPISTAR LED
LED Qty	240LED/mtr
Wattage	9W/mtr
Color Temperature	3000K
Rated Luminaire Luminous Flux	990lm
Rated Luminaire Efficiency	110lm/W
IP Rating	67
Beam Angle	120°
Voltage	DC24V
Frequency Range	50-60 Hz
CRI	Ra>80
Power Factor	>0.9
SDCM	<3
Safety Class	Class II
Storage Temperature	-30°C ~ +50°C
Operating Temperature	-20°C ~ +50°C
Material	3M Tape
Life Span	50,000 Hours
Warranty	5 Years
Applications	Residential, Commercial, Hospitality etc.




TECHNICAL OPTIONS

Color Temperature	2700K-6000K
Control	0-1 0V/1-1 0V/DMX/DALI/Triac
Voltage	DC12V

TECHNICAL DATA SHEET - RAYAS MAX - 19826 - STRIP LIGHT

DIMENSION



PHOTOMETRICS

