

Telmo Spike light



Features

- Lamp Type: MR16 lamp (included)
- Voltage: AC220V
- Lens: Clear convex glass lens
- Housing: Die-cast solid aluminum
- Spike Material: High-strength ABS
- Durability: Designed for outdoor use, corrosion-resistant

 Spike

 IP Rating
IP65

 IK Rating
IK06

 5 years
warranty Standard Warranty

TECHNICAL DATA SHEET - TELMO - 21187 - SPIKE LIGHT




TECHNICAL DATA

Product Data	Spike Light
Lamp Type	MR16
IP Rating	65
Input Voltage	AC220-240V
Frequency Range	50-60 Hz
SDCM	<3
Safety Class	Class II
Operating Temperature	-20°C ~ +50°C
Material	Die cast solid aluminum
Finish	Matt Black
Lifespan	50,000 Hours
Warranty	5 Years
Applications	Outdoors, Gardens, Parks, etc.



TECHNICAL OPTIONS

Finish	Antique Bronze / Gun Metal Black /
Control	Switchable, TRIAC, 1-10V, DALI,0-10V



TECHNICAL DATA SHEET - MARA - 21188 - LED LAMP



TECHNICAL DATA

Product Data	LED Lamp
Lamp Base	MR16
Lamp Type	EPISTAR LED
Wattage	5W
Color Temperature	3000K
Rated Luminaire Luminous Flux	450lm
Rated Luminaire Efficiency	90lm/W
Beam Angle	36°
CRI	>80
Power Factor	0.9
Voltage	AC220-240V
Frequency Range	50-60 Hz
Energy Efficient Class	F
Operating Temperature	-20°C~+40°C
Material	Aluminium Body
Finish	Matt Black
Life Span	15,000 Hours
Warranty	3 Years
Applications	Residential, Hospitality, Commercial, etc.

