

Visio

Street & Area Post-Top Light



Installation
Street



IK Rating
IK08



IP Rating
IP65




Standard Warranty

TECHNICAL DATA SHEET - VISIO - 21591 - STREET & AREA & POST-TOP LIGHT



TECHNICAL DATA

Product Data	Post-top Light
Lamp Type	LUMILEDS
Driver	Meanwell
Wattage	30W
Color Temperature	3000K
Rated Luminaire Luminous Flux	2700lm
Rated Luminaire Efficiency	90lm/W
IP Rating	65
Beam Angle	120°
Input Voltage	AC220-240V
Frequency Range	50-60 Hz
CRI	Ra>70
Power Factor	0.9
THD	<15%
SDCM	<3
Safety Class	Class II
Operating Temperature	-20°C ~ +50°C
Material	Aluminum + hot-dip galvanized coating
Finish	Grey
Lifespan	50,000 Hours
Warranty	5 Years
Applications	Outdoors, Gardens, Parks, etc.



TECHNICAL OPTIONS

Wattage	40W/50W/60W
Color Temperature	3000-6500K
Finish	Black
Control	Switchable, TRIAC, 1-10V, DALI,0-10V

TECHNICAL DATA SHEET - VISIO - 21591 - STREET & AREA & POST-TOP LIGHT

DIMENSIONS (UNIT: MM)

