


## Perro

### Street & Area Post-Top Light




 **Installation**  
Street

 **IK Rating**  
IK08

 **IP Rating**  
IP65



**5** years  
warranty **Standard Warranty**

## TECHNICAL DATA SHEET - PERRO - 21604 - STREET & AREA & POST-TOP LIGHT



### TECHNICAL DATA

<b>Product Data</b>	Post-top Light
<b>Lamp Type</b>	Bridgelux LED
<b>Driver</b>	Meanwell
<b>Wattage</b>	40W
<b>Color Temperature</b>	3000K
<b>Rated Luminaire Luminous Flux</b>	4000lm
<b>Rated Luminaire Efficiency</b>	100lm/W
<b>IP Rating</b>	65
<b>Beam Angle</b>	120°
<b>Input Voltage</b>	AC220-240V
<b>Frequency Range</b>	50-60 Hz
<b>CRI</b>	Ra>80
<b>Power Factor</b>	0.9
<b>SDCM</b>	<3
<b>Safety Class</b>	Class I
<b>Operating Temperature</b>	-20°C ~ +50°C
<b>Material</b>	UV-Proof powder Aluminum
<b>Finish</b>	Matte Black
<b>Lifespan</b>	50,000 Hours
<b>Warranty</b>	5 Years
<b>Applications</b>	Outdoors, Gardens, Parks, etc.



### TECHNICAL OPTIONS

<b>Color Temperature</b>	2700-6500K
<b>Control</b>	Switchable, TRIAC, 1-10V, DALI,0-10V
<b>Finish</b>	Available in all customized colors.

## TECHNICAL DATA SHEET - PERRO - 21604 - STREET & AREA & POST-TOP LIGHT

DIMENSIONS (UNIT: MM)

